

This document shows what keys of the font Tengwar Annatar by Johan Winge can be accessed from non-unicode macintosh applications (when the U.S. keyboard is chosen). For what I know, these applications can't access any other keys. I can't explain why. The little blue signs show the same keys in font Times.

Note that in a unicode-applications, the keymappings shown below don't work. That is, in the font Times they are identical, but they are different in the font Tengwar Annatar, which is a complete mystery to me. That is why the above chart is **only for non-unicode applications** (such as AppleWorks 6, BBedit lite, Word for Mac), whereas it's different in unicode applications (such as TextEdit, Key Caps).

no modifier	1	2	3	4	5	6	7	8	9	0	-	:	=
§	ɸ	p	β	b	h̥	m̥	n̥	y̥	č̥	λ̥	~	:	.
q	w	e	r	t	y	u	i	o	p	[]		
p	β̥	b̥	h̥̥	m̥̥	n̥̥	y̥̥	č̥̥	λ̥̥	~	-	-	c̥	
a	s	d	f	g	h	j	k	l	;	'	'	\	
q̥	cq̥	d̥	cd̥	cḁ	ci̥	č̥	č̥̥	λ̥̥	~	-	-	~	
z	x	c	v	b	n	m	,	.	/				
ı	ȡ	Ȣ	Ȧ	ȣ	Ȥ	Ȧ	Ȯ	ȭ	Ȭ	~			

with shift	!<	@<	#<	\$<	%<	^<	&<	*<	(<)<	-<	+<	
'<	þ	þþ	^<	'<	.	^<	,	þ	þ	.	-<	ð	ð
Q	W	E	R	T	Y	U	I	O	P	{	-<	}	
þ	þþ	^<	'<	.	^<	,	þ	.	~<	-<	,	,	
A	S	D	F	G	H	J	K	L	:	"<			
ç	çç	^<	'<	.	^<	,	ç	.	~<	-<	,	,	
~<	Z	X	C	V	B	N	M	<	>	?			
}<	þ	þþ	^<	'<	.	^<	,	þ	.	~<			

with shift + alt

±	/	<	>	fi	fl	‡	°	·	,	—	±
'	'	'	'	ʃ	ʒ	ç	~	·	,	—	'
Œ	Œ	“	”	%	ˇ	Á	“	^	∅	Π	”
()	..	-	-	-	ſ	.	:	⋮	⋮	,
Å	Í	Î	Ï	~	Ó	Ô	„	˘	Ø	Ú	Æ
—	”
‘	‘	‘	‘	‘	‘	‘	‘	‘	‘	‘	‘
ı	—	—	—	—	—	—	—	—	—	—	—
đ	đ	đ	đ	đ	đ	đ	đ	đ	đ	đ	đ

deadkey alt + e

'	é	ú	í	ó	á
'	'	đ	—	—	—
..
..
..

deadkey alt + u

°	ë	ÿ	ü	ï	ö	ä
°	'	'	'	—	—	—
..
..
..

deadkey alt + i

:	ê	û	—	î	ô	â
:	'	'	đ	—	—	—
:
:
:

deadkey alt + `

`	è	ù	—	ì	ò	à
`	'	'	đ	—	—	—
..
..
..

deadkey alt + n

~	ñ	ä	ñ
~	—	—	—
~	—	—	—
~	—	—	—
~	—	—	—